

OPTIMA

ENGINEERED FOR POWER

2021
CATALOG



MOTORCYCLE OIL



Available in : 1L

OPTIMA RUSH 4T 20W50 SL JASO MA2

Made using the latest technology from USA, blended using the best of severely hydrocracked mineral base stocks and premium top-tier synthetic additives available today OPTIMA® has developed a superior high viscosity lubricant that gives the best protection even under heavy use conditions.

APPLICATION :
4T ENGINES

API CLASSIFICATION :
API SL JASO MA 2

BASE TYPE :
PREMIUM MINERAL FORMULATION
WITH SOME SYNTHETIC COMPONENTS

MEET SPECIFICATION , APPROVALS & RECOMMENDATIONS :

• API : SL • JASO MA 2

MOTORCYCLE OIL



Available in : 1L

OPTIMA RUSH 4T 20W50 SL JASO MA2

Made using the latest technology from USA, blended using the best of severely hydrocracked mineral base stocks and premium top-tier synthetic additives available today OPTIMA® has developed a superior high viscosity lubricant that gives the best protection even under heavy use conditions.

APPLICATION :
4T ENGINES

API CLASSIFICATION :
API SL JASO MA 2

BASE TYPE :
PREMIUM MINERAL FORMULATION
WITH SOME SYNTHETIC COMPONENTS

MEET SPECIFICATION , APPROVALS & RECOMMENDATIONS :

• API : SL • JASO MA 2

MOTORCYCLE OIL



Available in : 1L

OPTIMA RUSH 4T 10W40 SN JASO MA 2 FULLY SYNTHETIC

Developed using technology from USA, using the best high-end synthetic base stocks and additives at peak optimal levels to produce a lubricant that gives the highest performance in protection, engine efficiency & engine cleanliness.

APPLICATION :
4T ENGINES

API CLASSIFICATION :
API SN JASO MA 2

BASE TYPE :
FULLY SYNTHETIC

MEET SPECIFICATION , APPROVALS & RECOMMENDATIONS :

• API : SN • JASO MA 2

PETROL ENGINE OIL



Available in : 4L & 1L

OPTIMA SPEAR 20W50 SN/CF ECO SYNTHETIC BLEND

OPTIMA Lubricants has developed a superior high viscosity lubricant that gives good protection even under heavy use conditions. The high viscosity ensures that any evaporation of engine oils is kept to a bare minimum therefore minimizing or eliminating the need for top-ups.

APPLICATION :
GASOLINE ENGINE

API CLASSIFICATION :
API SN / CF

BASE TYPE :
PREMIUM MINERAL FORMULATION
WITH SOME SYNTHETIC COMPONENTS

MEET SPECIFICATION , APPROVALS & RECOMMENDATIONS :

• API SN / CF

PETROL ENGINE OIL



Available in : 4L & 1L

OPTIMA SPEAR EXTREME 5W40 SN PLUS / CF FULLY SYNTHETIC

OPTIMA Lubricants has engineered a superior fully synthetic medium high viscosity engine oil suited for gasoline engines with the latest standards of protection against wear and to meet the stringent fuel-efficient requirements of today's automakers. The SN Plus additive package also adds the latest protection against low speed pre-ignition (LSPI) experienced by gasoline direct injection engines (GDI) today.

APPLICATION :
GASOLINE ENGINE

API CLASSIFICATION :
API SN PLUS

BASE TYPE :
FULL SYNTHETIC

MEET SPECIFICATION , APPROVALS & RECOMMENDATIONS :

• API SN PLUS /CF • BMW LL-01 • PORSCHE A40 • PSA B71 2296 • ACEA A3/B3,A3/B4
• MB APPROVAL 229.5. 226.5 • VW502.00/505.00 • RENAULT RN0700, RN0710 • FIAT 9.55535-Z2

GEAR OIL



Available in : 1L

OPTIMA AUTO TRANS ATF DEXRON III

- Provides consistent, reliable, smooth & trouble free operation of automotive transmission systems.
- Resistant to oil degradation & keeps automatic transmissions clean.
- Long component life.
- Excellent oil fluidity at low temperatures.

APPLICATION :
AUTO TRANSMISSION
FLUID

API CLASSIFICATION :
• PASSENGER CAR AUTOMATIC TRANSMISSION
• HEAVY DUTY AUTOMATIC TRANSMISSIONS

BASE TYPE :
HIGH VISCOSITY
PREMIUM MINERAL OIL

MEET SPECIFICATION , APPROVALS & RECOMMENDATIONS :

• GM DEXRON®-III • FORD MERCON® • ALLISON C-4 • CATERPILLAR TO-2

COOLANT



Available in : 1L

OPTIMA COOL MAX LONGLIFE COOLANT 50/50

OPTIMA LONGLIFE COOLANT 50/50 is a high performance, long-life coolant that is premixed and ready to use. Recommended for petrol, diesel and natural gas powered vehicles. It provides excellent protection both in low and high temperatures. This product can be used down to -37°C and up to 129°C to prevent freezing in cold or overheating in hot temperatures.

APPLICATION :
PETROL , DIESEL AND NATURE GAS POWERED
VEHICLES EXCELLENT FOR MIXED FLEET

BASE TYPE :
ETHYLENE GLYCOL, ANTIFOAM
& ANTICORROSIVE

MEET SPECIFICATION , APPROVALS & RECOMMENDATIONS :

• ASTM D 6210 • ASTM D 7583 • CAT EC-1 • MAN 324 Type SNF • Detroit Fluid Specification 93K217
• Navistar CEMS-B1-Type IIIa • TMC RP 329 • Behr Radiator • John Deere H24A2, H24C2
• MB-Approval 326.3 • MTU 5048 • Cummins CES 14603

DIESEL ENGINE OIL



Available in : 4L & 1L

OPTIMA STRENGTH ELITE 5W40 CK4/SN FULLY SYNTHETIC

Developed in close technological collaboration with our technology partners in USA, blended using the highest quality fully synthetic base stocks and the latest top tier additives. OPTIMA has developed an unmatched fully synthetic medium higher viscosity engine oil mainly suited for diesel engines with the absolute latest standards of protection against wear and to meet the most stringent environmental requirements of today.

APPLICATION :
DIESEL ENGINE

API CLASSIFICATION :
CK4/SN

BASE TYPE :
PREMIUM MINERAL FORMULATION
WITH SOME SYNTHETIC COMPONENTS

MEET SPECIFICATION , APPROVALS & RECOMMENDATIONS :

• API: CK-4, CJ-4, CI-4 PLUS, CI-4, CH-4 • ACEA E9 • JASO DH-2 • Allison TES 439 • Cummins CES 20086
• Caterpillar ECF-2/ECF-3 • MAN M3575, JASO MA/ MA2 • MB-Approval 228.31
• Volvo VDS-4.5; Detroit Fluid Specification DDC (DFS) 93K222

DIESEL ENGINE OIL



OPTIMA CLASSIC SAE40 CF

Developed using the latest cutting-edge technology from USA, blended using the best severely hydro-cracked base oils and top tier USA additives. OPTIMA superior monograde lubricant ensures long engine life with a good level of protective additives and detergency to keep engines clean.

APPLICATION :
CLASSIC DIESEL ENGINE

API CLASSIFICATION :
API CF

BASE TYPE :
PREMIUM MINERAL

MEET SPECIFICATION , APPROVALS & RECOMMENDATIONS :

• API : CF • MB APPROVALS : 228.0 • MTU : CATEGORY 1 • MAN : 270 • ACEA : E2

Available in : 4L, 1L, 20L & 200L

DIESEL ENGINE OIL



OPTIMA STRENGTH 15W40 CF4/SG

Made using technology from USA, blended using the best of severely hydrocracked mineral base stocks and premium top-tier synthetic additives available today. OPTIMA STRENGTH has developed a superior medium range viscosity lubricant that gives good throttle response & fuel efficiency while ensuring that the slightly higher viscosity means less topups. While the specific CF4 advanced formulation ensures cleanliness of the engine through good detergency, emulsifiers & dispersants.

APPLICATION :
DIESEL ENGINE

API CLASSIFICATION :
API CF4/SG

BASE TYPE :
PREMIUM MINERAL FORMULATION
WITH SOME SYNTHETIC COMPONENTS

MEET SPECIFICATION , APPROVALS & RECOMMENDATIONS :

• API : CF4/SG • MB APPROVALS : 228.1 • VOLVO : VDS • ACEA : E2 • MAN : 271

Available in : 4L, 1L, 20L & 200L

DIESEL ENGINE OIL



OPTIMA STRENGTH PLUS 15W40 CI4/SL

High temperature high shear stability. Excellent soot & oil thickening control. High anti-foaming characteristics. Reduced valve train wear. Excellent piston deposit control. Enhanced copper corrosion control.

APPLICATION :
DIESEL ENGINE

API CLASSIFICATION :
API CI4/SL

BASE TYPE :
PREMIUM MINERAL FORMULATION
WITH SOME SYNTHETIC COMPONENTS

MEET SPECIFICATION , APPROVALS & RECOMMENDATIONS :

• API CI-4, CH-4, SL • Global DHD-1 • Deutz QOC III-10 • MAN M 3275-1 • Mack EO-N, EO-M Plus, EO-M
• Cummins CES 20078, 77, 76, 75, 72, 71 • JASO DH-1 • MB-Approval 228.3 • MTU Category 2 • Volvo VDS-3
• Caterpillar ECF-2, ECF-1A • Detroit Fluids Specification 93K215 • ACEA E7, E5, E3 • Renault Trucks RLD-2

Available in : 4L, 1L, 20L & 200L

DIESEL ENGINE OIL (20L & 200L)



OPTIMA CLASSIC SAE30 CF

Developed using the latest cutting-edge technology from USA, blended using the best severely hydro-cracked base oils and top tier USA additives. OPTIMA superior monograde lubricant ensures long engine life with a good level of protective additives and detergency to keep engines clean.

APPLICATION :
CLASSIC DIESEL ENGINE

API CLASSIFICATION :
API CF

BASE TYPE :
PREMIUM MINERAL

MEET SPECIFICATION , APPROVALS & RECOMMENDATIONS :

• API : CF • MB APPROVALS : 228.0 • MTU : CATEGORY 1 • MAN : 270 • ACEA : E2

Available in : 20L & 200L

GEAR OIL (20L & 200L)



Available in : 20L & 200L

OPTIMA AUTO TRANS ATF DEXRON III

- Provides consistent, reliable, smooth & trouble free operation of automotive transmission systems.
- Resistant to oil degradation & keeps automatic transmissions clean.
- Long component life.
- Excellent oil fluidity at low temperatures.

APPLICATION :
AUTO TRANSMISSION
FLUID

API CLASSIFICATION :
• PASSENGER CAR AUTOMATIC TRANSMISSION
• HEAVY DUTY AUTOMATIC TRANSMISSIONS

BASE TYPE :
HIGH VISCOSITY
PREMIUM MINERAL OIL

MEET SPECIFICATION , APPROVALS & RECOMMENDATIONS :

- GM DEXRON®-III
- FORD MERCON®
- ALLISON C-4
- CATERPILLAR TO-2

GEAR OIL (20L & 200L)



Available in : 20L & 200L

OPTIMA EXPERT GEAR OIL GL4 90

Developed using the latest cutting edge technology from the USA, a blend of high quality severely hydrocracked baseoils and top tier additives today. OPTIMA EXPERT GEAR OIL has developed a superior gear oil with an optimal additive package to ensure excellent moisture protection from rust and corrosion. OPTIMA EXPERT Gear Oils are also highly extreme pressure capable with good seal/gasket compatibility for longer component life.

APPLICATION :
MANUAL GEARBOXES,
REAR AXLES, GEAR SETS

API CLASSIFICATION :
API GL4

BASE TYPE :
AUTOMOTIVE GEAR LUBRICANTS
CONTAINING MULTI FUNCTIONAL ADDITIVE

MEET SPECIFICATION , APPROVALS & RECOMMENDATIONS :

- API GL4

GEAR OIL (20L & 200L)



Available in : 20L & 200L

OPTIMA EXPERT GEAR OIL GL4 140

Developed using the latest cutting edge technology from the USA, a blend of high quality severely hydrocracked baseoils and top tier additives today. OPTIMA EXPERT GEAR OIL has developed a superior gear oil with an optimal additive package to ensure excellent moisture protection from rust and corrosion. OPTIMA Gear Oils are also highly extreme pressure capable with good seal/gasket compatibility for longer component life.

APPLICATION :
MANUAL GEARBOXES,
REAR AXLES

API CLASSIFICATION :
API GL4

BASE TYPE :
AUTOMOTIVE GEAR LUBRICANTS
CONTAINING MULTI FUNCTIONAL ADDITIVE

MEET SPECIFICATION , APPROVALS & RECOMMENDATIONS :

- API GL4

HYDRAULIC OIL (20L & 200L)



Available in : 20L & 200L

OPTIMA Hydraulic 32AW / 46 AW / 68 AW / 100 AW

Excellent general lubrication. Value for money while being of superior quality, While having excellent oxidation resistance to ensure a long service interval.

APPLICATION :
AGRICULTURE AND
CONSTRUCTION MACHINERY
EXTERIOR HYDRAULIC APPLICATION

API CLASSIFICATION :
ISO VG 32 AW

BASE TYPE :
PREMIUM MINERAL FORMULATION
WITH SOME SYNTHETIC COMPONENTS

MEET SPECIFICATION , APPROVALS & RECOMMENDATIONS :

- DIN 51524 PART I (HL)
- ISO 11158 (HL Fluids)
- Cincinnati Machine P38/P54/P55